www.landforce.in



MECHANIZED AGRICULTURE FOR PRODUCTIVITY

## Laser Land Leveler - Sports Model





Landforce Laser Land Leveler is leveling the field within certain degree of desired slope using a guided laser beam throughout the field. Unevenness of the soil surface has a significant impact on the germination, stand and yield of crops. Farmers also recognize this and therefore devote considerable time resources in leveling their fields properly. However, traditional methods of leveling land are cumbersome, time consuming as well as expensive.

## **TECHNICAL SPECIFICATION**

Model	LLS2A/B/C	LLS3A/B/C
Side Plate	10 mm	
Bucket Sheet	8 mm	
Scraping Blade	125 x 12 mm	
Hydraulic Cylinder	2 Ton (Capacity)	
Bucket Height	645 mm	
Bucket Width	2 Meter	3 Meter
Tyre Set	6.00-16 tyre (with taper roller bearings)	
Weight (Approx)	690 Kg (Approx)	780 Kg (Approx)
Working Range	810/820/830 -1100 diameter	
Battery Types	Alkaline	
Battery Life	Typically, 60 hours with alkaline batteries 50 hours with rechargeable batteries	
Operating Tem p.	-20°C to + 50 °C	
*Company reserves the rights to change/amond products specifications without any prior paties		

\*Company reserves the rights to change/amend products specifications without any prior notice.

● www.landforce.in <sup>®</sup> info@landforce.in <sup>®</sup> +917837494949

DASMESH MECHANICAL WORKS AMARGARH, DISTT- SANGRUR, PUNJAB - 148022, INDIA